



HUANRUI

北京环瑞商贸有限公司

BEIJING HUANRUI Co., Ltd

VP -420 .430 經濟型擺動式（終端）逆止閥


Economy Swing Check (Foot) Valve

- Pressure Rating: 150 PSI, flapper could stand the instant backpressure surge up to 225 PSI
- Arrow mark indicates direction of flow, install accordingly
- Vertical installation, the arrow mark should point up
- Horizontal installation, the arrow mark should locate on the top side
- 工作壓力：150 PSI，擺動護板可承受 225 PSI瞬間回流
- 箭頭標示水流方向，請依實際水流方向安裝
- 垂直裝配時指示箭頭方向朝上安裝
- 水平裝配時指示箭頭位置必須位在正上方

Type 品號	Size 尺寸	Standard 規格	Material 材質	Gasket 墊片	O-ring "O"環	End type 接口
VP-420	3"~4"	ANSI, JIS, DIN	PVC	EPDM, FPM	EPDM, FPM	Socket, Threaded, Flanged
VP-430	3"~4"	ANSI, JIS, DIN	PVC	EPDM, FPM	EPDM, FPM	Socket, Threaded, Flanged



NO.	PART	MATERIAL	QTY
1	UPPER BODY	PVC	1
2	LOWER BODY	PVC	1
3	DISC	PVC	1
4	SET BULGE	PVC	1
5	SHEET GASKET	EPDM, FPM	1
6	SHEET GASKET HOLDER	PVC	1
7	O-RING	EPDM, FPM	1
8	BOLT	SUS 304	10
9	WASHER	SUS 304	10
10	NUT	SUS 304	10
11	FILTER	UPVC	1
12	FLANCE	UPVC	2



Nom.	SIZE	80mm (3")	100mm (4")
	thd./in	NPT	8
	BSPT	11	11
JIS	d2	88.83	113.98
	d1	89.60	114.7
ANSI	d2	88.70	114.07
	d1	89.31	114.76
DIN	d2	90.1	110.1
	d1	90.3	110.4
	I	51	61
	d3	108	133
	D	196	210
D1	JIS	150	175
	ANSI	152	191
	D2	185	210
	D3	153	153
	L1	221	271
	L2	260	300
	L3	275	320

