



HUANRUI

北京环瑞商贸有限公司

BEIJING HUANRUI Co., Ltd

VP-460 .470 單由令球型（終端）逆止閥

Ball Check (Foot) Valve

- Pressure rating: 1/2"~2-1/2" 150 PSI, 3"~4" 100 PSI
 - Minimum flow pressure : 2~4 PSI
 - Install with flow direction arrow indication
 - Good sealing function by ball check design
- 工作壓力：1/2"~2-1/2" 150 PSI, 3"~4" 100 PSI
 - 最低開啓壓力：2~4 PSI
 - 依流向箭頭指示安裝
 - 球體逆止設計，密閉性佳

Type 品號	Size 尺寸	Standard 規格	Material 材質	Seal 止漏墊	End type 接口
VP-460	1/2"~4"	ANSI, JIS, DIN	PVC	EPDM, FPM, NBR	Socket, Threaded
VP-461	1/2"~4"	ANSI, JIS, DIN	CPVC	EPDM, FPM, NBR	Socket, Threaded
VP-463	1/2"~4"	ANSI, JIS, DIN	PVDF	EPDM, FPM, NBR	Socket, Threaded
VP-464	1/2"~4"	ANSI, JIS, DIN	PP	EPDM, FPM, NBR	Socket, Threaded
VP-470	1/2"~4"	ANSI, JIS, DIN	PVC	EPDM, FPM, NBR	Socket, Threaded



Nom.	SIZE	15mm	20mm	25mm	40mm	50mm	65mm	80mm	100mm
		(1/2")	(3/4")	(1")	(1-1/2")	(2")	(2-1/2")	(3")	(4")
Thd	NPT	14	14	11.5	11.5	11.5	8	8	7.5
	BSPT	14	14	11	11	11	11	11	11
JIS	d1	21.7	25.7	31.67	47.54	59.44	75.87	88.83	113.98
	d2	22.3	26.3	32.33	48.46	60.56	76.6	89.6	114.7
	l	22.2	25.4	28.6	34.9	38.1	44.45	63	69
ANSI	d1	21.23	26.57	33.27	48.11	60.17	72.85	88.7	114.07
	d2	21.54	26.87	33.65	48.56	60.63	73.38	89.31	114.76
	l	22.22	25.4	28.58	34.93	38.1	44.45	47.63	57.15
DIN	d1	20.1	25.1	32.1	50.1	63.1	75.1	90.1	110.1
	d2	20.3	25.3	32.3	50.3	63.3	75.3	90.3	110.4
	l	16	19	22	31	38	44	51	61
d	13	20	25	40	50	70	77	102	
D	50	62	72	97	107	155	155	225	
H	81	106	118	153	176	263	263	320	

NO.	PART	MATERIAL	QTY
1	BODY	UPVC, CPVC, PP, PVDF	1
2	UNION NUT	UPVC, CPVC, PP, PVDF	1
3	CONNECTOR	UPVC, CPVC, PP, PVDF	1
4	BALL	UPVC, CPVC, PP, PVDF	1
5	GLAND	UPVC, CPVC, PP, PVDF	1
6	SEAL	EPDM, FPM, NBR	1

Nom.	SIZE	15mm	20mm	25mm	40mm	50mm	65mm	80mm	100mm
		(1/2")	(3/4")	(1")	(1-1/2")	(2")	(2-1/2")	(3")	(4")
Thd./in	NPT	14	14	11.5	11.5	11.5	8	8	11.5
	BSPT	14	14	11	11	11	11	11	11
JIS	d2	21.7	25.7	31.67	47.54	59.44	75.87	88.83	113.98
	d1	22.3	26.3	32.33	48.46	60.56	76.6	89.6	114.7
	l	22.2	25.4	28.6	34.9	38.1	44.45	63	69
ANSI	d2	21.23	26.57	33.27	48.11	60.17	72.85	88.7	114.07
	d1	21.54	26.87	33.65	48.56	60.63	73.38	89.31	114.76
	l	22.22	25.4	28.58	34.93	38.1	44.45	47.63	57.15
DIN	d2	20.1	25.1	32.1	50.1	63.1	75.1	90.1	110.1
	d1	20.3	25.3	32.3	50.3	63.3	75.3	90.3	110.4
	l	16	19	22	31	38	44	51	61
d	13	20	25	40	50	70	77	102	
D	60	70	83	110	124	154	154	178	
H	128	152	164	195	240	310	310	382	

NO.	PART	MATERIAL	QTY
1	BODY	PVC, CPVC, PP	1
2	UNION NUT	PVC, CPVC, PP	1
3	CONNECTOR	PVC, CPVC, PP	1
4	BALL	PVC, CPVC, PP	1
5	GLAND	PVC, CPVC, PP	1
6	SEAL	EPDM, FPM, NBR	1
7	FILTER	PVC, CPVC, PP	1

