



HUANRUI

北京环瑞商贸有限公司


BEIJING HUANRUI Co., Ltd

VP-810 把手式蝶閥


Butterfly Valve (Handle type)

- Pressure rating: 2"~8" 150 PSI
 - Compact and lightweight design
 - Excellent flow characteristics with lower flow loss
 - Clear indication of opening degree
 - Ideally suited for flow control in a minimum piping space
 - Easy to mount actuator with flat zone design at the top of valve
-
- 工作壓力：150 PSI
 - 上方平台設計可加裝氣動或電動驅動器
 - 蝶片開啓角度可由刻度清楚顯示，並可由齒輪片固定
 - 全面型墊片密閉設計，安全性佳

Type 品號	Size 尺寸	Standard 規格	Material 材質	Seat 墊座	O-ring "O"環	Disc 蝶片	End type 接口
VP-810	2"~8"	ANSI, JIS, DIN	PVC	EPDM, FPM	EPDM, FPM	PP	Flanged
VP-811	2"~8"	ANSI, JIS, DIN	CPVC	EPDM, FPM	EPDM, FPM	CPVC	Flanged
VP-813	2"~8"	ANSI, JIS, DIN	PVDF	EPDM, FPM	EPDM, FPM	PVDF	Flanged
VP-814	2"~8"	ANSI, JIS, DIN	PP	EPDM, FPM	EPDM, FPM	PP	Flanged



Nom.	SIZE	50mm (2")	65mm (2-1/2")	80mm (3")	100mm (4")	125mm (5")	150mm (6")	200mm (8")
D		165	185	201	229	257	285	343
D1	ANSI	121	140	152	191	216	241	298
	JIS	120	140	150	175	210	240	290
	DIN	125	145	160	180	210	240	295
D2		56.5	69.5	79.5	102.5	131	154	203
D3		105	120	123	135	164	169	201
L		199	199	199	254	297	297	297
H		248.5	267.5	277	316	373.5	404.5	464.5
H1		103	113	115	135.5	165	177	210
W1		43	46	46	65	69	70.5	87
W2		35	36	36	47	57	62	76
W3		94	94	94	100	110	100	122
n-øe	ANSI	4-19	4-19	4-19	8-19	8-22	8-22	8-22
	JIS	4-19	4-19	8-19	8-19	8-23	8-23	12-23
	DIN	4-18	4-19	8-18	8-18	8-18	8-22	8-23
H2		82.5	92.5	100	114.5	128.5	142.5	171.5
H3		63	62	62	66	80	83	83



NO.	PART	MATERIAL	QTY
1	BODY	PVC, PP, PVDF, CPVC	1
2	DISC	PP, PVDF, CPVC	1
3	SEAT SEAL	EPDM, FPM	1
4	STEM	SUS 410 / 304 / 316	1
5	"O"-RING	EPDM, FPM	2
6	"O"-RING	EPDM, FPM	2
7	INSERTED NUT	SS 41	3
8	LARGE HANDLE	ABS	1
9	SMALL HANDLE	ABS	1
10	SPRING LOCK	ABS	1
11	HANDLE INSERT	STAINLESS STEEL	1
12	HANDLE LEVER	SUS 304	1
13	SPRING	SUS 304	1
14	SPRING PIN	SUS 304	1
15	SPRING PIN	SUS 304	1
16	WASHER	SUS 304	1
17	LOCKING PLATE	SUS 304	1
18	GEAR SEAT	PP+GF	1
19	WASHER	SUS 304	1
20	BOLT	SUS 304	3
21	NUT	PVC, PVDF	1
22	INSERT NUT	C3604	1
23	LEVEL	SUS 304	1
24	RIVER	STAINLESS STEEL	2

